

Presentation of Nizhnekamsk Truck Tire Plant products

Combined truck tires



The first tires of Nizhnekamsk Truck Tire Plant has been output in April of 1978. A lot of significant actions on the truck tires development, cost reduction and improvement of performance characteristics has been introduced over the past few decades.

In the present day Nizhnekamsk Truck Tire Plant presents:

- 37 designations of tires in the product mix
- Sales over 2000 mln/pcs a year
- Sale and delivery to neighbouring countries and beyond
- Sale and delivery for the needs of RF Ministry of Defence
- High-grade raw materials
- Distinguished technology





- A wide range of products for various machinery classes

Increased durability, due to:

- Developed rubber compounds formulation
- Additions based on the newest polymers

Increased tire life, due to:

- Reduced ground pressure
- Reduced heat generation
- Mounting facilitation

- Severe weather and road conditions resistance.

- A good combination of attractive price and quality.

Off-road tires

10.00R20
12.00R20
14.00R20
390/95R20
395/80R20
500/70-20
1220x400-533
400/70-21
530/70-21
425/85R21

All-surface tires

8.25R20
9.00R20
10.00R20
11.00R20
12.00R20
425/85R21

Road tires

10.00R20
11.00R20
12.00R20

Quarry tires

10.00R20
12.00R20

**All-season
tires**

215/75R17,5

Combined off-road truck tires «KAMA» have separated lugs providing an excellent sand and washed out surface grip. Due to a good self-cleaning property, "KAMA" tires keep providing the secure grip.



КАМА-407



Dimension: 10.00R20

Ply rating: 16

Speed rating: J-100 (km/h)

Load index: 146/143

КАМА-402



Dimension: 12.00R20

Ply rating: 18

Speed rating: J-100 (km/h)

Load index: 154/149

ОИ-25 Н.С. 10



Dimension: 14.00R20

Ply rating: 10

Speed rating: G-85 (km/h)

Load index: 140

ОИ-25 Н.С. 14



Dimension: 14.00R20

Ply rating: 14

Speed rating: G-85 (km/h)

Load index: 146

КАМА-УРАЛ Н.С. 10



Dimension: 390/95R20

Ply rating: 10

Speed rating: J-100 (km/h)

Load index: 147

КАМА-УРАЛ Н.С. 18



Dimension: 390/95R20

Ply rating: 18

Speed rating: J-100 (km/h)

Load index: 156

Кама-430



Dimension: 395/80R20

Ply rating:

Speed rating: K-110 (km/h)

Load index: 149

ИД-П284 Н.С. 10



Dimension: 500/70-20

Ply rating: 10

Speed rating: F-80 (km/h)

Load index: 150

ИД-П284 Н.С. 16

Dimension: 500/70-20

Ply rating: 16

Speed rating: F-80 (km/h)

Load index: 156

И-П184-1

Dimension: 1220x400-533

Ply rating: 10

Speed rating: G-90 (km/h)

Load index: 141

КАМА-401

Dimension: 400/70-21

Ply rating: 12

Speed rating: G-90 (km/h)

Load index: 145

КАМА-1260 Н.С. 14

Dimension: 425/85R21

Ply rating: 14

Speed rating: J-100 (km/h)

Load index: 146

КАМА-1260 Н.С. 18

Dimension: 425/85R21

Ply rating: 18

Speed rating: G-90 (km/h)

Load index: 156

КАМА-410

Dimension: 530/70-21

Ply rating: 12

Speed rating: F-80 (km/h)

Load index: 156

КАМА-1260-2 Н.С. 14

Dimension: 425/85R21

Ply rating: 14

Speed rating: J-100 (km/h)

Load index: 146

КАМА-1260-2 Н.С. 18

Dimension: 425/85R21

Ply rating: 18

Speed rating: G-90 (km/h)

Load index: 156

Combined truck tires «Kama» with multipurpose tread pattern provide a good grip with all type surfaces. "Kama" tires have a high wear resistance and present an excellent handling and cornering stability.



У-2

Dimension: 8,25R20

Ply rating: 10

Speed rating: J-100 (km/h)

Load index: 125/122

И-Н 142БМ Н.С. 12

Dimension: 9.00R20

Ply rating: 12

Speed rating: J-100 (km/h)

Load index: 136/133

И-Н 142БМ Н.С. 14

Dimension: 9.00R20

Ply rating: 14

Speed rating: K-110 (km/h)

Load index: 140/137

О-40БМ Н.С. 12

Dimension: 9.00R20

Ply rating: 12

Speed rating: J-100 (km/h)

Load index: 136/133

О-40БМ Н.С. 14

Dimension: 9.00R20

Ply rating: 14

Speed rating: J-100 (km/h)

Load index: 140/137

И-281 У-4

Dimension: 10.00R20

Ply rating: 16

Speed rating: J-100 (km/h)

Load index: 146/143

КАМА-310

Dimension: 10.00R20

Ply rating: 16

Speed rating: K-110 (km/h)

Load index: 146/143

КАМА-310

Dimension: 11.00R20

Ply rating: 16

Speed rating: K-110 (km/h)

Load index: 150/146

KAMA-310

Dimension: 12.00R20

Ply rating: 18

Speed rating: J-100 (km/h)

Load index: 154/149

И-68А

Dimension: 11.00R20

Ply rating: 16

Speed rating: K-110 (km/h)

Load index: 150/146

ИД-304 У-4 Н.С. 16

Dimension: 12.00R20

Ply rating: 16

Speed rating: J-100 (km/h)

Load index: 150/146

ИД-304 У-4 Н.С. 18

Dimension: 12.00R20

Ply rating: 18

Speed rating: J-100 (km/h)

Load index: 154/149

KAMA-1260-1 H.C. 14

Dimension: 425/85R21

Ply rating: 14

Speed rating: J-100 (km/h)

Load index: 146

KAMA-1260-1 H.C. 18

Dimension: 425/85R21

Ply rating: 18

Speed rating: G-90 (km/h)

Load index: 156

Combined truck tires «KAMA» with a tread pattern of road type provide a good road grip in all weathers. Truck tires "Kama" have low rolling resistance rate, an excellent handling and a regular wear. Even more, tires with a tread pattern of road type show low noise level.



И-А 185

Dimension: 10.00R20

Ply rating: 16

Speed rating: J-100 (km/h)

Load index: 146/143

И-111АМ

Dimension: 11.00R20

Ply rating: 16

Speed rating: J-100 (km/h)

Load index: 149/145

ОИ-73Б

Dimension: 10.00R20

Ply rating: 16

Speed rating: K-110 (km/h)

Load index: 146/143

И-368

Dimension: 12.00R20

Ply rating: 18

Speed rating: J-100 (km/h)

Load index: 154/149

Combined truck tires «KAMA» with a tread pattern of quarry type are designed and suitable for the service in condition of poor-equipped roads, on sand and stony grounds, and marsh lands. In contrast to other types, these tires offer an increased durability and regular wear resistance. Application of these tires allows to bring about an improvement of the road grip of any quality as well as vehicle flotation.



KAMA-701



Dimension: 10.00R20

Ply rating: 16

Speed rating: F-80 (km/h)

Load index: 147/143

KAMA-701



Dimension: 12.00R20

Ply rating: 18

Speed rating: F-80 (km/h)

Load index: 154/150

Combined truck tires «KAMA» with a tread pattern of all-season type are designated for the operation all year round both in summer and winter time. Special rubber compound composition allows to use the tire at low temperatures. Unique features of all-season tires "Kama" provide the grip during all seasons.





KAMA-202

Dimension: 215/75R17,5

Ply rating:

Speed rating: M-130 (km/h)

Load index: 124/123