

VELO  MOTORS

2019



Export version

CONTENTS

MOUNTAIN BICYCLE

Navigator 900 MD 29"	6
Navigator 900 V 29"	6
Navigator 700 MD 27.5"	7
Navigator 700 V 27.5"	7
Navigator 500 MD 26"	8
Navigator 500 V 26"	8
Crosswind 21-sp 26"	9

CITY BICYCLE

Navigator 395 28"	10
Navigator 350 Gent 28"	10
Navigator 350 Lady 28"	11
Navigator 345 28"	11
Navigator 325 28"	12
Navigator 300 Gent 28"	12
Navigator 300 Lady 28"	13
Navigator 250 Gent 26"	13
Navigator 250 Lady 26"	14
Navigator 210 Gent 26"	14
Navigator 210 Lady 26"	15
Pilot 750 24"	15
Pilot 710 24"	16

YOUNG ADULT BICYCLE

Challenger V 24"	16
Navigator 400 MD 24"	17
Navigator 400 V 24"	17
Pilot 450 20"	18
Pilot 410 20"	18
Pilot 350 20"	19
Pilot 310 20"	19
Pilot 200 Gent 20"	20
Pilot 200 Lady 20"	20

BICYCLES FOR YOUNG CHILDREN

Flyte 14"/16"/18"	21
Flyte Lady 14"/16"/18"	21
Talisman 14"/16"/18"	22
Talisman Lady 14"/16"/18"	22
Wind 14"/16"/18"	23
Jet 14"/16"/18"	23

PARTS

Frames	24
Forks	29
Rims, Shields	30



VELOMOTORS BICYCLE FACTORY IN ZHUKOVKA

The history of Velomotors began in 1996 with a small office in the centre of Moscow. Since that time, the Company has evolved from a trader of complete bicycles to the largest Russian manufacturer of bicycles, ATVs and snowmobiles. The Company's development strategy is to continuously improve the production process, minimize the costs of manufacturing and launching products that meet high quality standards and consumer expectations.



TUBE MAKING

The Company has its own tube mills to produce tubes of various diameters from sheet metal. Our forming machines enable obtaining any desired shapes of tubes by machine forming as well as such operations as reducing, cutting, punching and trimming of tubes in order to ensure the most precise welding of frames.

METAL WELDING AND PROCESSING

Frames for mountain, city, junior and kids' bicycles are welded by robots. The modern equipment allows consistently high quality of welded seams and reduction in the costs of producing frames, forks and racks. To remove welding traces and prepare products for painting, we use an automated shot blasting line.



TWO TECHNOLOGIES OF PAINTING

The paint shop is equipped with two automated paint lines. The first line for powder paint includes such stages as washing, phosphating, drying, painting, varnishing and baking. Powder painting generates minimum waste and reduces the cost of painting even for small batches. The second robotic line for liquid enamels applies three coats of paint and one coat of finish to metal parts and dries them to the final condition.

RIM MAKING

The rim production area is equipped with automatic machines and enables making single-wall and double-wall rims for wheels with a diameter of 14 to 28 inches. Equipment allows rip winding, cutting, pin assembly, drilling and holes punching. The geometric and mechanical parameters of the rim are controlled by special CNC machines, which almost rule out defects in manufacture.



PLASTIC MOLDING

Modern injection molding machines allow producing a wide range of plastic elements from temporary plugs to guards of chains and wheels in any colour. Own plastic molding equipment gives us opportunities to expand the range of manufactured products and minimize the cost of their production.

LINE ASSEMBLY

Our products are assembled on belt conveyors with a total capacity of more than 5,000 bicycles per day. Line production enables a significant reduction in the cost of assembling bicycles. During assembly, bicycles undergo multi-stage quality control, which rules out defects or incompleteness of our products.



Navigator 900 MD 29"

29"



- black/blue
- black/green
- black/red

Size	16"/18"/20"	Front derailleur	Shimano Tourney FD-TZ31
Frame	Steel	Rear derailleur	Shimano Tourney RD-TY300
Speeds	21	Shifting levers	Shimano Tourney ST-EF500
Fork	Depreciation, Fork stroke 60 mm	Shifting type	Leverage
Steering column	Semi-integrated	Brake type	Disk mechanical, 160 mm
Carriage	Typesetting	Rims	Aluminum, double
System	Steel, 24/34/42T, 175 mm	Tyres	29x2,1
Front hub	Steel, nut	Wheel shields	-
Rear hub	Steel, nut	Pedals	Plastic
Ratchet/Cassette	Steel ratchet, 14-28T	Weight (kg)	

Navigator 700 MD 27.5"

27,5"



- black/blue
- black/green
- black/red

Size	16"/18"/20"	Front derailleur	Shimano Tourney FD-TZ31
Frame	Steel	Rear derailleur	Shimano Tourney RD-TY300
Speeds	21	Shifting levers	Shimano Tourney ST-EF500
Fork	Depreciation, Fork stroke 60 mm	Shifting type	Leverage
Steering column	Semi-integrated	Brake type	Disk mechanical, 160 mm
Carriage	Cartridge	Rims	Aluminum, double
System	Steel, 24/34/42T, 175 mm	Tyres	27,5x1,95
Front hub	Steel, nut	Wheel shields	-
Rear hub	Steel, nut	Pedals	Plastic
Ratchet/Cassette	Steel ratchet, 14-28T	Weight (kg)	

Navigator 900 V 29"

29"



- black/blue
- black/green
- black/red

Size	16"/18"/20"	Front derailleur	Shimano Tourney FD-TZ31
Frame	Steel	Rear derailleur	Shimano Tourney RD-TY300
Speeds	21	Shifting levers	Shimano Tourney ST-EF500
Fork	XDS, Depreciation, Fork stroke 60 mm	Shifting type	Leverage
Steering column	Semi-integrated	Brake type	V-brake
Carriage	Typesetting	Rims	Aluminum, double
System	Steel, 24/34/42T, 175 mm	Tyres	29x2,1
Front hub	Steel, clip	Wheel shields	-
Rear hub	Steel, nut	Pedals	Plastic
Ratchet/Cassette	Steel ratchet, 14-28T	Weight (kg)	

Navigator 700 V 27.5"

27,5"



- black/blue
- black/green
- black/red

Size	16"/18"/20"	Front derailleur	Shimano Tourney FD-TZ31
Frame	Steel	Rear derailleur	Shimano Tourney RD-TY300
Speeds	21	Shifting levers	Shimano Tourney ST-EF500
Fork	XDS, Depreciation, Fork stroke 60 mm	Shifting type	Leverage
Steering column	Semi-integrated	Brake type	V-brake
Carriage	Cartridge	Rims	Aluminum, double
System	Steel, 24/34/42T, 175 mm	Tyres	27,5x1,95
Front hub	Steel, clip	Wheel shields	-
Rear hub	Steel, nut	Pedals	Plastic
Ratchet/Cassette	Steel ratchet, 14-28T	Weight (kg)	

Navigator 500 MD 26"

26"


 black/blue
 black/green
 black/red

Size	16"/18"/20"	Front derailleur	Shimano Tourney FD-TZ31
Frame	Steel	Rear derailleur	Shimano Tourney RD-TY300
Speeds	21	Shifting levers	Shimano Tourney ST-EF500
Fork	Depreciation, Fork stroke 60 mm	Shifting type	Leverage
Steering column	Semi-integrated	Brake type	Disk mechanical, 160 mm
Carriage	Cartridge	Rims	Aluminum, double
System	Steel, 24/34/42T, 175 mm	Tyres	26x1,95
Front hub	Steel, nut	Wheel shields	-
Rear hub	Steel, nut	Pedals	Plastic
Ratchet/Cassette	Steel ratchet, 14-28T	Weight (kg)	16,7

Crosswind 21-sp 26"

26"



black/lime

Size	20"	Front derailleur	Shimano Tourney FD-TZ31
Frame	Steel	Rear derailleur	Shimano Tourney RD-TY300
Speeds	21	Shifting levers	Shimano Tourney ST-EF500
Fork	Depreciation, Fork stroke 80 mm	Shifting type	Leverage
Steering column	Threaded	Brake type	V-brake
Carriage	Typesetting	Rims	Aluminum, double
System	Steel/алюминий, 28/38/48, 170 mm	Tyres	26x2,0
Front hub	Aluminum, clip	Wheel shields	Plastic
Rear hub	Aluminum, nut	Pedals	Plastic/steel
Ratchet/Cassette	Shimano MF-TZ21 14-28T	Weight (kg)	18,8

Navigator 500 V 26"

26"


 black/blue
 black/green
 black/red

Size	16"/18"/20"	Front derailleur	Shimano Tourney FD-TZ31
Frame	Steel	Rear derailleur	Shimano Tourney RD-TY300
Speeds	21	Shifting levers	Shimano Tourney ST-EF500
Fork	XDS, Depreciation, Fork stroke 60 mm	Shifting type	Leverage
Steering column	Semi-integrated	Brake type	V-brake
Carriage	Cartridge	Rims	Aluminum, double
System	Steel, 24/34/42T, 175 mm	Tyres	26x1,95
Front hub	Steel, clip	Wheel shields	-
Rear hub	Steel, nut	Pedals	Plastic
Ratchet/Cassette	Steel ratchet, 14-28T	Weight (kg)	16,2



Navigator 395 28"

28"


 black
 red

Size	20"	Front derailleur	-
Frame	Steel	Rear derailleur	Shimano Tourney RD-TY300
Speeds	7	Shifting levers	Shimano Altus ST-M310
Fork	Rigid	Shifting type	Leverage
Steering column	Threaded	Brake type	V-brake
Carriage	Typesetting	Rims	Aluminum, double
System	40T, 170 mm	Tyres	28x1.75
Front hub	Steel, nut	Wheel shields	Steel
Rear hub	Steel, nut	Pedals	Plastic
Ratchet/Cassette	Steel ratchet, 14-28T	Weight (kg)	18,5

Navigator 350 Lady 28"

28"


 red
 aquamarine
 violet

Size	20"	Front derailleur	-
Frame	Steel	Rear derailleur	Shimano Tourney RD-TY300
Speeds	7	Shifting levers	Shimano Altus SL-M310
Fork	Rigid	Shifting type	Leverage
Steering column	Threaded	Brake type	V-brake
Carriage	Typesetting	Rims	Aluminum, double
System	40T, 170 mm	Tyres	28x1.75
Front hub	Steel, nut	Wheel shields	Steel
Rear hub	Steel, nut	Pedals	Plastic
Ratchet/Cassette	Steel ratchet, 14-28T	Weight (kg)	18,2

Navigator 350 Gent 28"

28"


 blue
 black

Size	20"	Front derailleur	-
Frame	Steel	Rear derailleur	Shimano Tourney RD-TY300
Speeds	7	Shifting levers	Shimano Altus SL-M310
Fork	Rigid	Shifting type	Leverage
Steering column	Threaded	Brake type	V-brake
Carriage	Typesetting	Rims	Aluminum, double
System	40T, 170 mm	Tyres	28x1.75
Front hub	Steel, nut	Wheel shields	Steel
Rear hub	Steel, nut	Pedals	Plastic
Ratchet/Cassette	Steel ratchet, 14-28T	Weight (kg)	18,2

Navigator 345 28"

28"


 blue
 brown
 khaki
 dark olive
 violet
 aquamarine

Size	20"	Front derailleur	-
Frame	Steel	Rear derailleur	-
Speeds	1	Shifting levers	-
Fork	Rigid	Shifting type	-
Steering column	Threaded	Brake type	Foot brake
Carriage	Typesetting	Rims	Aluminum, double
System	44T, 170 mm	Tyres	28x1.75
Front hub	Steel, nut	Wheel shields	Steel
Rear hub	Steel, nut	Pedals	Plastic
Ratchet/Cassette	Sprocket, 19T	Weight (kg)	17,3

Navigator 325 28"

28"



ivory

Size	20"	Front derailleur	-
Frame	Steel	Rear derailleur	-
Speeds	1	Shifting levers	-
Fork	Rigid	Shifting type	-
Steering column	Threaded	Brake type	Foot brake
Carriage	Typesetting	Rims	Aluminum, double
System	44T, 170 mm	Tyres	28x1.75
Front hub	Steel, nut	Wheel shields	Steel
Rear hub	Steel, nut	Pedals	Plastic
Ratchet/Cassette	Sprocket, 19T	Weight (kg)	17,3

Navigator 300 Lady 28"

28"


 red
 violet
 aquamarine

Size	20"	Front derailleur	-
Frame	Steel	Rear derailleur	-
Speeds	1	Shifting levers	-
Fork	Rigid	Shifting type	-
Steering column	Threaded	Brake type	Foot brake
Carriage	Typesetting	Rims	Aluminum, double
System	44T, 170 mm	Tyres	28x1.75
Front hub	Steel, nut	Wheel shields	Steel
Rear hub	Steel, nut	Pedals	Plastic
Ratchet/Cassette	Sprocket, 19T	Weight (kg)	17,4

Navigator 300 Gent 28"

28"


 green
 dark blue
 gray

Size	20"	Front derailleur	-
Frame	Steel	Rear derailleur	-
Speeds	1	Shifting levers	-
Fork	Rigid	Shifting type	-
Steering column	Threaded	Brake type	Foot brake
Carriage	Typesetting	Rims	Aluminum, double
System	44T, 170 mm	Tyres	28x1.75
Front hub	Steel, nut	Wheel shields	Steel
Rear hub	Steel, nut	Pedals	Plastic
Ratchet/Cassette	Sprocket, 19T	Weight (kg)	17,4

Navigator 250 Gent 26"

26"



gray

Size	19"	Front derailleur	-
Frame	Steel	Rear derailleur	Shimano Tourney RD-TY300
Speeds	7	Shifting levers	Shimano Altus ST-M310
Fork	Rigid	Shifting type	Leverage
Steering column	Threaded	Brake type	V-brake
Carriage	Typesetting	Rims	Aluminum, double
System	40T, 170 mm	Tyres	26x1.75
Front hub	Steel, nut	Wheel shields	Steel
Rear hub	Steel, nut	Pedals	Plastic
Ratchet/Cassette	Steel ratchet, 14-28T	Weight (kg)	16,8

Navigator 250 Lady 26"

26"



darkred
coral

Size	19"	Front derailleur	-
Frame	Steel	Rear derailleur	Shimano Tourney RD-TY300
Speeds	7	Shifting levers	Shimano Altus ST-M310
Fork	Rigid	Shifting type	Leverage
Steering column	Threaded	Brake type	V-brake
Carriage	Typesetting	Rims	Aluminum, double
System	40T, 170 mm	Tyres	26x1.75
Front hub	Steel, nut	Wheel shields	Steel
Rear hub	Steel, nut	Pedals	Plastic
Ratchet/Cassette	Steel ratchet, 14-28T	Weight (kg)	17,5

Navigator 210 Lady 26"

26"



turquoise
blue
coral
violet

Size	19"	Front derailleur	-
Frame	Steel	Rear derailleur	-
Speeds	1	Shifting levers	-
Fork	Rigid	Shifting type	-
Steering column	Threaded	Brake type	Foot brake
Carriage	Typesetting	Rims	Aluminum, double
System	40T, 170 mm	Tyres	26x1.75
Front hub	Steel, nut	Wheel shields	Steel
Rear hub	Steel, nut	Pedals	Plastic
Ratchet/Cassette	Sprocket, 18T	Weight (kg)	16,7

Navigator 210 Gent 26"

26"



khaki
black

Size	19"	Front derailleur	-
Frame	Steel	Rear derailleur	-
Speeds	1	Shifting levers	-
Fork	Rigid	Shifting type	-
Steering column	Threaded	Brake type	Foot brake
Carriage	Typesetting	Rims	Aluminum, double
System	40T, 170 mm	Tyres	26x1.75
Front hub	Steel, nut	Wheel shields	Steel
Rear hub	Steel, nut	Pedals	Plastic
Ratchet/Cassette	Sprocket, 18T	Weight (kg)	16,5

Pilot 750 24"

24"



dark blue
darkred
green
red
black/green

Size	16"	Front derailleur	-
Frame	Steel	Rear derailleur	Shimano Tourney RD-TY21
Speeds	6	Shifting levers	Shimano Tourney SL-RS35
Fork	Rigid, Steel	Shifting type	Gripshifter
Steering column	Threaded	Brake type	V-brake
Carriage	Typesetting	Rims	Aluminum, double
System	Steel, 40T, 165mm	Tyres	24x2,0
Front hub	Steel, nut	Wheel shields	Steel
Rear hub	Steel, nut	Pedals	Plastic
Ratchet/Cassette	Ratchet, Shimano MF-TZ20 (14-28T)	Weight (kg)	17,1

Pilot 710 24"

24"



- green 
- green/yellow 
- green/green 
- red/black 
- crimson 
- crimson/black 
- orange 
- dark blue 
- dark blue/dark blue 
- dark blue/black 
- violet 

Size	16"	Front derailleur	-
Frame	Steel	Rear derailleur	-
Speeds	1	Shifting levers	-
Fork	Rigid, Steel	Shifting type	-
Steering column	Threaded	Brake type	Foot brake
Carriage	Typesetting	Rims	Aluminum, single
System	Steel, 40T, 165 mm	Tyres	24x2,0
Front hub	Steel, nut	Wheel shields	Steel
Rear hub	Steel, nut	Pedals	Plastic
Ratchet/Cassette	Sprocket, 18T	Weight (kg)	17,6

Navigator 400 MD 24"

24"



- dark blue/pink 
- blue 

Size	12"	Front derailleur	Shimano Tourney FD-TY300
Frame	Steel	Rear derailleur	Shimano Tourney RD-TZ500
Speeds	18	Shifting levers	Microshift TS-38
Fork	Depreciation, Fork stroke 40 mm	Shifting type	Leverage
Steering column	Threaded	Brake type	Disk mechanical, 160 mm
Carriage	Cartridge	Rims	Aluminum, double
System	Steel, 24/34/42	Tyres	24"x1,95"
Front hub	Steel, clip	Wheel shields	Plastic
Rear hub	Steel, nut	Pedals	Plastic
Ratchet/Cassette	Steel ratchet, 14-28T	Weight (kg)	15,4

Challenger V 24"

24"



- dark blue/red 
- black/red 

Size	16"	Front derailleur	Shimano Tourney FD-TY300
Frame	Steel	Rear derailleur	Shimano Acera RD-M360
Speeds	21	Shifting levers	Shimano Tourney ST-EF500
Fork	Depreciation, Fork stroke 50 mm	Shifting type	Leverage
Steering column	Threaded	Brake type	V-brake
Carriage	Typesetting	Rims	Aluminum, double
System	Steel/alloy, 24/34/42, 152 mm	Tyres	24x1,95
Front hub	Aluminum, clip	Wheel shields	Plastic
Rear hub	Aluminum, nut	Pedals	Plastic/steel
Ratchet/Cassette	Shimano MF-TZ21 (14-28T)	Weight (kg)	17,4

Navigator 400 V 24"

24"



- gray/green 
- dark blue/red 

Size	12"	Front derailleur	Shimano Tourney FD-TY300
Frame	Steel	Rear derailleur	Shimano Tourney RD-TZ500
Speeds	18	Shifting levers	Microshift TS-38
Fork	Depreciation, Fork stroke 40 mm	Shifting type	Leverage
Steering column	Threaded	Brake type	V-brake
Carriage	Cartridge	Rims	Aluminum, double
System	Steel, 24/34/42	Tyres	24"x1,95"
Front hub	Steel, clip	Wheel shields	Plastic
Rear hub	Steel, nut	Pedals	Plastic
Ratchet/Cassette	Steel ratchet, 14-28T	Weight (kg)	15,5

Pilot 450 20"

20"



green

red

dark blue

Size	13,5"	Front derailleur	-
Frame	Steel	Rear derailleur	Shimano Tourney RD-TY21
Speeds	6	Shifting levers	Shimano Tourney SL-RS35
Fork	Rigid, Steel	Shifting type	Gripshifter
Steering column	Threaded	Brake type	V-brake
Carriage	Typesetting	Rims	Aluminum, double
System	Steel, 40T, 152 mm	Tyres	20x2,0
Front hub	Steel, nut	Wheel shields	Steel
Rear hub	Steel, nut	Pedals	Plastic
Ratchet/Cassette	Steel ratchet, 14-28T	Weight (kg)	15,9

Pilot 350 20"

20"



violet

gray

black/orange

Size	13"	Front derailleur	-
Frame	Steel	Rear derailleur	Shimano Tourney RD-TY21
Speeds	6	Shifting levers	Shimano Tourney SL-RS35
Fork	Rigid, Steel	Shifting type	Gripshifter
Steering column	Threaded	Brake type	V-brake
Carriage	Typesetting	Rims	Aluminum, double
System	Steel, 40T, 152mm	Tyres	20x2,0
Front hub	Steel, nut	Wheel shields	Steel
Rear hub	Steel, nut	Pedals	Plastic
Ratchet/Cassette	Ratchet, Shimano MF-TZ20 (14-28T)	Weight (kg)	15,6

Pilot 410 20"

20"



white/dark blue

green

green/yellow

red

crimson

dark blue

violet

orange

dark blue/black

Size	13,5"	Front derailleur	-
Frame	Steel	Rear derailleur	-
Speeds	1	Shifting levers	-
Fork	Rigid, Steel	Shifting type	-
Steering column	Threaded	Brake type	Foot brake
Carriage	Typesetting	Rims	Aluminum, single
System	Steel, 40T, 152 mm	Tyres	20x2,0
Front hub	Steel, nut	Wheel shields	Steel
Rear hub	Steel, nut	Pedals	Plastic
Ratchet/Cassette	Sprocket, 18T	Weight (kg)	14,8

Pilot 310 20"

20"



turquoise/green

green

green/yellow

orange

crimson

crimson/black

dark blue

dark blue/blue

dark blue/black

violet

violet/blue

Size	13"	Front derailleur	-
Frame	Steel	Rear derailleur	-
Speeds	1	Shifting levers	-
Fork	Rigid, Steel	Shifting type	-
Steering column	Threaded	Brake type	Foot brake
Carriage	Typesetting	Rims	Aluminum, single
System	Steel, 40T, 152 mm	Tyres	20x2,0
Front hub	Steel, nut	Wheel shields	Steel
Rear hub	Steel, nut	Pedals	Plastic
Ratchet/Cassette	Sprocket, 18T	Weight (kg)	14,3

Pilot 200 Gent 20"

20"


 green
 blue

Size	11"	Front derailleur	-
Frame	Steel	Rear derailleur	-
Speeds	1	Shifting levers	-
Fork	Rigid	Shifting type	-
Steering column	Threaded	Brake type	Foot brake, V-brake
Carriage	Typesetting	Rims	Aluminum, double
System	Steel, 32T, 127 mm	Tyres	20x2,0
Front hub	Steel, nut	Wheel shields	Steel
Rear hub	Steel, nut	Pedals	Plastic
Ratchet/Cassette	18T	Weight (kg)	12,5

Flyte 14"/16"/18"

 14"
 16"
 18"

 green
 red
 dark blue

Size	9.5" / 11" / 12"	Tyres	14x1,75 / 16x1,75 / 18x1,95
Frame	Steel	Wheel shields	Yes
Speeds	1	Bike basket	No
Fork	Rigid, Steel	Additional wheels	Yes
Brake type	V-Brake + Foot brake	Trunk	Yes
Rims	Aluminum, single	Weight (kg)	10,5 / 11,5 / 11,9

Pilot 200 Lady 20"

20"


 lemon
 pink

Size	12"	Front derailleur	-
Frame	Steel	Rear derailleur	-
Speeds	1	Shifting levers	-
Fork	Rigid	Shifting type	-
Steering column	Threaded	Brake type	Foot brake
Carriage	Typesetting	Rims	Aluminum, double
System	Steel, 32T, 127 mm	Tyres	20x2,0
Front hub	Steel, nut	Wheel shields	Steel
Rear hub	Steel, nut	Pedals	Plastic
Ratchet/Cassette	18T	Weight (kg)	12,7

Flyte Lady 14"/16"/18"


 14"
 16"
 18"

 blue
 pink

Size	9.5" / 11" / 12"	Tyres	14x1,75 / 16x1,75 / 18x1,95
Frame	Steel	Wheel shields	Yes
Speeds	1	Bike basket	Yes
Fork	Rigid, Steel	Additional wheels	Yes
Brake type	V-Brake + Foot brake	Trunk	Yes
Rims	Aluminum, single	Weight (kg)	10,7 / 11,5 / 12,6

Talisman 14"/16"/18"

- 14"
- 16"
- 18"

- yellow 
- green 
- dark blue 



Size	9.5" / 11" / 12"	Tyres	14x2.1 / 16x2.1 / 18x1.75
Frame	Steel	Wheel shields	Yes
Speeds	1	Bike basket	No
Fork	Rigid, Steel	Additional wheels	Yes
Brake type	Foot brake	Trunk	No
Rims	Aluminum, single	Weight (kg)	10,4 / 11,1 / 11,7

Wind 14"/16"/18"

- 14"
- 16"
- 18"

- pink 



Size	9.5" / 11" / 12"	Tyres	14x1.75 / 16x1.75 / 18x1.95
Frame	Steel	Wheel shields	Yes
Speeds	1	Bike basket	No
Fork	Rigid, Steel	Additional wheels	Yes
Brake type	Foot brake	Trunk	No
Rims	Aluminum, single	Weight (kg)	10,4 / 11,4 / 12

Talisman Lady 14"/16"/18"

- 14"
- 16"
- 18"

- pink 



Size	9.5" / 11" / 12"	Tyres	14"x2.1 / 16"x2.1 / 18"x1.75
Frame	Steel	Wheel shields	Yes
Speeds	1	Bike basket	No
Fork	Rigid, Steel	Additional wheels	Yes
Brake type	Foot brake	Trunk	No
Rims	Aluminum, single	Weight (kg)	10,4 / 11,1 / 11,7

Jet 14"/16"/18"

- 14"
- 16"
- 18"

- white/red 
- white/dark blue 
- white/lime 



Size	8.5" / 9" / 10"	Tyres	14x1.75 / 16x1.75 / 18x1.75
Frame	Steel	Wheel shields	Yes
Speeds	1	Bike basket	No
Fork	Rigid, Steel	Additional wheels	Yes
Brake type	V-Brake + Foot brake	Trunk	No
Rims	Aluminum, single	Weight (kg)	9,9 / 10,5 / 11,3



Art.	Size	Weight
JU095437	28" x 508 mm	3,53 kg

Material: steel



Art.	Size	Weight
JU080650	28" x 508 mm	3,46 kg
JU095424	26" x 482,6 mm	3,29 kg

Material: steel

Art.	Size	Weight
JU112606	28" x 508 mm	3,2 kg



Material: steel

Art.	Size	Weight
KU199623	29" x 444,5 mm	3,9 kg
KU199625	29" x 482,6 mm	4,06 kg
KU199627	29" x 533,4 mm	4,14 kg
KU199585	27,5" x 444,5 mm	3,66 kg
KU199587	27,5" x 482,6 mm	3,81 kg
JU112039	27,5" x 533,4 mm	3,96 kg
KU199515	26" x 406,4 mm	3,64 kg
KU199521	26" x 457,2 mm	3,79 kg
KU199523	26" x 508,0 mm	3,94 kg
KU199375	24" x 304,8 mm	3,26 kg



Material: steel



Art.	Size	Weight
JU080623	28" x 508 mm	3,49 kg
JU097752	26" x 482,6 mm	3,27 kg

Material: steel



Art.	Size	Weight
KU207216	24" x 406 mm	3,82 kg

Material: steel



Art.	Size	Weight
JU079706	24" x 406 mm	3,97 kg

Material: steel



Art.	Size	Weight
JU112616	20" x 279,4 mm	2,79 kg

Material: steel

Art.	Size	Weight
JU079632	20" x 343 mm	3,9 kg



Material: steel

Art.	Size	Weight
JU099140	20" x 279,4 mm	2,73 kg



Material: steel



Art.	Size	Weight
JU079241	20" x 330 mm	3,85 kg

Material: steel



Art.	Size	Weight
JU093561	14" x 215 mm	1,9 kg
JU093573	16" x 280 mm	2,17 kg
JU093574	18" x 305 mm	2,28 kg

Material: steel



Art.	Size	Weight
JU113240	14" x 242 mm	1,9 kg
JU099754	16" x 280 mm	2,1 kg
JU101269	18" x 305 mm	2,37 kg

Material: steel

Art.	Size	Weight
KU184398	14" x 242 mm	2,34 kg
KU184713	16" x 280 mm	2,58 kg
JU092526	18" x 305 mm	2,7 kg



Material: steel



Art.	Size	Weight
JU095075	14" x 216 mm	2,05 kg
JU093500	16" x 229 mm	2,14 kg
JU093515	18" x 254 mm	2,29 kg

Material: steel

Art.	Wheel size	Stem	Weight
JU080638	28"	Ø 25,4 mm	1,08 kg
JU090960	26"	Ø 25,4 mm	1,034 kg
JU07970	24"	Ø 25,4 mm	0,979 kg
JU079636	20"	Ø 25,4 mm	0,979 kg



Material: steel

Art.	Wheel size	Stem	Weight
KU165832	28"	Ø 25,4 mm	1,07 kg
JU087048	26"	Ø 25,4 mm	1,02 kg
KU164593	24"	Ø 25,4 mm	0,968 kg
KU164524	20"	Ø 25,4 mm	0,92 kg



Material: steel



Material: steel

Art.	Wheel size	Stem	Weight
JU095705	18"	Ø 25,4 mm	0,79 kg
JU095882	16"	Ø 25,4 mm	0,75 kg
JU096267	14"	Ø 25,4 mm	0,71 kg



Velomotors Group of Companies
42a, Shosseynaya Str., Lubertsy, Moscow region, Russia
Tel./Fax: +7(499) 704-68-35 / +7(495) 725-26-27
www.velomotors.com

Subsidiary in China

PEGASUS ASIA TRADING (SHANGHAI) CO. LTD
No.687 Dongdaming Road, 5F,
Room 8526 Shanghai, China
Tel.: (+86) 21-50797050

Subsidiary in Taiwan

VELOMOTORS-TAIWAN
Vital Triumph Limited, Taiwan
21C, #360, Sec. 2, Taiwan Blvd., North Dist., Taichung city, 40453
Tel.: 04-23210138 / Fax: 04-23210136