



About us

Engineering company
AQUAWORLD

Industry

Ecology and water industry

Services

The introduction of modern methods of water purification, water circulation systems and wastewater treatment. Design and installation of equipment for water purification and wastewater treatment.

Year of foundation

2009

Number of specialists

20

Number of companies

More than 200


Number of projects

More than 1000

E-mail: info@aquaworld63.ru

Tel. (846)310-34-22

Our advantages



Strategic logistics



Convenient payment ways



Qualified and experienced specialists



High quality and reasonable price



Application of modern technologies

E-mail: info@aquaworld63.ru

Tel. (846)310-34-22

Company profile

Plant facilities



Water pumping enterprises, thermal power stations



Container stations



Sanitation and protection of utilities



Domestic manufacture



Plant facilities, Water pumping enterprises, Thermal power stations

E-mail: info@aquaworld63.ru

Tel. (846)310-34-22

Plant facilities

1. Water purification of surface sources for water pumping enterprises, thermal power stations, large industrial enterprises
2. Water Treatment Container Stations
3. Water treatment for steam and hot water boilers



E-mail: info@aquaworld63.ru

Tel. (846)310-34-22

Water pumping enterprises, Thermal power stations

1. Designing of water treatment and wastewater treatment systems and facilities
2. Supply of water treatment and water purification equipment
3. Performing of the functions of a general contractor during the construction of water treatment and purification systems, during installation, installation supervision and commissioning works



For industries



Water treatment for boiler installation

Treated boiler feed water ensures:

Prevention of deposits on heat-conducting surfaces


Energy saving, protection of materials from which the boiler is made from thermal overload and destruction

Corrosion prevention in the entire system, including condensate lines

Ensuring maximum operating availability, reducing repair costs

Ensuring of the trouble-free operation of the boiler and the quality of steam suitable for its use, with minimal losses due to the deposition of salts

The highest possible efficiency of work



E-mail: info@aquaworld63.ru

Tel. (846)310-34-22

Container stations



E-mail: info@aquaworld63.ru

Tel. (846)310-34-22

Container stations

Field of application

- Housing and communal facilities - reconstruction or construction;
- Boiler and steam generator installations.
- Water utilities both urban and rural. Rotational and cottage villages.
- Enterprises of gas, oil, mining and smelting industry.
- Enterprises of food and pharmaceutical industry.
- Military units, outposts, bases and temporary bases; division of the Ministry of Emergency Situations, zone of natural disasters.
- Hotels, agricultural towns, resorts.

Advantages



Transportable
Compact
Anti-vandal



100%
operational
compatibility



Minimum
construction
work



Environmental
compliance



Without project
and passing
examination



Service life over
20 years



The possibility of
commissioning
new containers



The shortest
possible
commissioning
dates



E-mail: info@aquaworld63.ru

Tel. (846)310-34-22

Options



Capacity

**From 1.0 – up to 250
m³/h**



Operation conditions


**From -55 °C up to +55
°C**

E-mail: info@aquaworld63.ru

Tel. (846)310-34-22

Standard layout of modular water treatment systems


Fresh water



Container treatment facilities for the treatment of river water using ultrafiltration technology



Complete complex for any water



Desalination plants are produced for the treatment of saline and sea waters, using ultrafiltration and membrane technologies.



E-mail: info@aquaworld63.ru

Tel. (846)310-34-22

* The system can be supplemented with separate containers with a system of storage and distribution of clean water!

Sanitation and protection of utilities

E-mail: info@aquaworld63.ru

Tel. (846)310-34-22

Where water flows, there are deposits and sediments

90% of people believe that water flows through other pipes to their homes.

Causes of dirty drinking water:

- Old water pipes
- Unprotected cast iron and steel pipes
- Wear of coatings
- The structure of the water supply pipeline
- Water flow and operation conditions
- Water quality
- Service of water pipeline



E-mail: info@aquaworld63.ru

Tel. (846)310-34-22

TECHNOLOGY OF CLEANING AND DISINFECTION OF PIPELINE SYSTEMS

General description of work process:

- Water shut off
- Filling the system with reagent
- Maintain system fill level
- Discharge of reagent
- Flushing of system

Depending on the type of system being washed, its condition, configuration, etc., the most suitable engineering solution is selected.



E-mail: info@aquaworld63.ru

Tel. (846)310-34-22


TECHNOLOGY OF CLEANING AND DISINFECTION OF PIPELINE SYSTEMS

Advantages over pneumatic flushing:

- Removes biological deposits
- Facilitates general system flushing and disinfection
- Reduces total flushing time

Safety

- Permitted for use in drinking water systems
- Trouble-free disposal
- Plumbing is not exposed to any damage and dirt.



E-mail: info@aquaworld63.ru

Tel. (846)310-34-22

Protection of engineering utilities and equipment against corrosion

E-mail: info@aquaworld63.ru

Tel. (846)310-34-22

TECHNOLOGY FOR PROTECTION OF SYSTEMS AGAINST CORROSION AND SEDIMENTS

Problems:

- Not all systems are correctly designed for required operational conditions and water quality.
- Water partially contributes to corrosion.
- Limited equipment service life
- Water properties stabilization required (pH, hardness)

Operation principle:

- Proportional dosing of a special **food grade** inhibitor based on silicates and phosphates to the water flow (about 15 g per 1 m³ of water)





E-mail: info@aquaworld63.ru

Tel. (846)310-34-22

HOW IT WORKS CHEMICALLY

- The reagent forms a closed, waterproof layer over sediment and prevents further chemical reactions.
- An insulating "silicate" layer is formed in the system, chemically bound to the anode and deactivates it.
- The reagent stops the formation of corrosion and biofilm and thereby maintains the internal diameter of the pipes.




E-mail: info@aquaworld63.ru

Tel. (846)310-34-22

TECHNOLOGY FOR PROTECTION OF SYSTEMS AGAINST CORROSION AND SEDIMENTS

Advantages:

- a significant increase of the service life of pipelines and heating systems (boiler equipment, heat exchangers) without total overhaul;
- maintaining of hydraulic capacity for the entire period of operation;
- guarantee of maintenance of quality of the water delivered to the consumer;
- safety of use in cold water supply and hot water supply of drinking water, certified by the NSF, has certificates and permits for application in Russia.



E-mail: info@aquaworld63.ru

Tel. (846)310-34-22

Pressure Compensators Production

E-mail: info@aquaworld63.ru

Tel. (846)310-34-22

Pressure loss compensator


Assignment

Check and adjustment of pressure in expansion tanks and membrane tanks

Field of application

Membrane expansion tanks in systems of :

- Heating
- Water supply
- Liquid fuel supply



E-mail: info@aquaworld63.ru

Tel. (846)310-34-22

Pressure loss compensator

Description

- Filled with non-flammable gas
- Absolutely safe to use.
- Does not contain alcohol and other inflammable substances.
- Contains anti-corrosion additives and membrane care elements.
- At a temperature of + 25 °C and a pressure of 1 bar, the cylinder has 110 liters of filling substance



E-mail: info@aquaworld63.ru

Tel. (846)310-34-22

Adapter for pressure loss compensator

Description

Mechanical measuring device for checking and compensating pressure in membrane expansion tanks using gas pressure compensator

List of parts

- Compressed air gauge
- Valve body
- Female thread shut-off valve 1/4"
- PVC hose
- Threaded connection



Our support



All-Russian public organization
“Business Russia”

www.samdeloros.ru



Ассоциация
содействия развитию
предпринимательства

“St. Petersburg Interregional
Information and Business Center”
Association with the support of the
Committee on External Relations of
St. Petersburg

www.spbmidc.ru



КД|СО
КЛУБ ДИРЕКТОРОВ
САМАРСКОЙ ОБЛАСТИ

Professional public organization
“Club of Directors of the Samara
Region”

www.director-club.ru



State institution of the Samara
Region “Samara Regional Resource
Center”

www.samara-rrc.ru

E-mail: info@aquaworld63.ru

Tel. (846)310-34-22

Contacts

3, Glavnaya st, office 124, Samara, Russia, 443015



Tel.: +7 (846) 310-34-22



Fax: +7 (846) 310-34-22



Mob. +7(917) 10-333-10



www. АкваМир-Самара.рф

www.Aquaworld63.ru



E-mail: info@aquaworld63.ru



Skype:GrizakSergey

E-mail: info@aquaworld63.ru

Tel. (846)310-34-22